


Arduino UNO click shield



PID: MIKROE-1581

Arduino Uno click shield is an extension for [Arduino Uno](#) and any other Arduino-compatible board. It's a simple shield with two mikroBUS host sockets that allow you to connect more than 1250 different types of click boards to the Arduino.

Mikroe produces entire development toolchains for all major microcontroller architectures.

Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.



ISO 27001: 2013 certification of informational security management system.
 ISO 14001: 2015 certification of environmental management system.
 OHSAS 18001: 2008 certification of occupational health and safety management system.



ISO 9001: 2015 certification of quality management system (QMS).

Specifications

Type	Shield
Applications	Arduino Uno click shield allows you to use click add-on boards from MikroElektronika on your favorite Arduino or any other Arduino-compatible board
On-board modules	Two mikroBUS host sockets, and single 1x10, and 1x6 headers.
Key Features	Arduino compatible connector on the opposite side.
Compatibility	Arduino
Input Voltage	3.3V or 5V

Resources

[mikroBUS™](#)

[Click board™ Catalog](#)

[Click Boards™](#)

Downloads

[Arduino Uno click shield Examples](#)

[Arduino Uno click shield Schematic](#)

[Arduino UNO click shield 2D and 3D files](#)

Mikroe produces entire development toolchains for all major microcontroller architectures.

Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.



ISO 27001: 2013 certification of informational security management system.
 ISO 14001: 2015 certification of environmental management system.
 OHSAS 18001: 2008 certification of occupational health and safety management system.



ISO 9001: 2015 certification of quality management system (QMS).