

MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918 Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com

www.mikroe.com

microSD Click





PID: MIKROE-924

Need more additional memory? We've got just the thing for you - microSD click. It features a microSD card slot for microSD cards used as a mass storage media for portable devices. microSD click is designed to run on 3.3V power supply. Industry standard SPI interface ensures simple communication at high data rates. Use it for reading or storing data like music, text files, videos and more.

Mikroe produces entire development toolchains for all major microcontroller architectures. Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.







MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918 Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com

www.mikroe.com

Specifications

Туре	microSD
Applications	microSD click is ideal for storing and reading acquisition data, images, music, video and data files, or any other application where fast mass storage is needed.
On-board modules	microSD card slot
Key Features	microSD card slot for microSD cards used as a mass storage media for portable devices
Interface	SPI
Compatibility	mikroBUS
Click board size	S (28.6 x 25.4 mm)
Input Voltage	3.3V

Resources

mikroBUS™

Click board™ Catalog

Click Boards™

Downloads

microSD click example on Libstock

microSD click schematic

microSD click 3D file

Mikroe produces entire development toolchains for all major microcontroller architectures. Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.



