


NOTES:
 (1) MATERIAL:

- 1-1 PLASTICS : HEAT RESISTANCE POLYMER, UL94V-0, COLOR: BLACK
- 1-2 CONTACT : PHOSPHOR BRONZE C5191-EH
- 1-3 SHELL : STAINLESS STEEL SUS304-3/4H
- 1-4 TAB: PHOSPHOR BRONZE C5191-H


(2) PLATING:

- 2-1 CONTACT AREA : Au PLATING OVER Ni
- 2-1-1 CONTACT AREA : MATTE TIN PLATING OVER Ni
- 2-1-2 SOLDER TAIL AREA : MATTE TIN PLATING OVER Ni
- 2-2 TAB: MATTE TIN PLATING OVER NICKEL


- (3) CONTACT AND TAIL COPLANARITY TO BE 0.15mm MAX.
- (4) COPLANARITY SPEC FOR ALL SOLDER TAILS AND SOLDER PADS IS 0.08mm MAX.
- (5) PART SHALL COMPLY MJS GP SPECIFICATION MJ-472-2001



SLIDE SHELL OPEN




SLIDE SHELL LOCK




RECOMMENDED PCB PATTERN LAYOUT
 GENERAL TOLERANCE: ±0.05

SCALE 2:1



STEP 3 FINISH



SCALE 2:1

REV	ZONE	ECN NO.	DESCRIPTION	DESIGN	DATE
A			RELEASE	Huilin Duan	10-01-05
B	(1/8)	HF-ECN-07-0437	胶芯增加材料孔	WU.WENBING	10-07-14

Unless otherwise specified tolerances are		DRAW NAME:	
X.	± 0.25	DRW NO.	HF-06-0255
X.X	± 0.20	DATE	07/14/2010
X.XX	± 0.10	CHK	APVD
X.XXX	± 0.05		
X°	± 2°		
X.X°	± 1°		

Third Angle Project

成品图纸	UNIT SCALE	WEIGHT	REV	SHEET
	mm	4:1	A	1/1